

Cable Specification

KASPER CABLE	SPECIFICATION	N			
Cable name	1.5mm2/15AWG speaker cable				
Model No.	KSC-15/100				
Specification	(7/20/0.1150FC+P	VC)*2F OD: 3	2*6 4mm Matt \	White	
LENGTH	100Meters/Minimum		Q'ty/Carton		
SPOOL SIZE	PK-200*100*120*5mm		Net Weight	10.1 Kgs	
SPOOL STICKER	YES		Gross	10.5 Kgs	
			Weight		
In wall	YES		Measure	0.47'	
MANUFACTURE STANDARD					
ltem	Description/Col	Material	Thickness	Outer	Shape
	or			Diameter	
Conductor	7/20/0.115	OFC	-	1.78mm <u>+</u> 0.1	
Jacket	Matt white	PVC	0.71mm <u>+</u> 0.1	3.2*6.4mm <u>+</u> 0. 1	Parallel Round/Squar e
Printing	Yes.				
Printing text	KASPER - 1.5mm2 / 15AWG HIGH DEFINITION SPEAKER CABLE - HIGH PURITY OXYGEN FREE COPPER				
	> > > + >>>+				
Computer jet printing	00m II 00m~99m I	l 99m			
	•	Drawir	ng		
7/20/0.115OFC Outer PVC Jacket OD:3.2*6.4mm Matt white					
	Cł	IARACTE	RISTICS		
Test Report: *Conductor Resis 0.01335Ω/M *Capacitance 61.91 PF/M *Inductance 1.2853 μH/M	tance				

Cable Picture HIGH DEFINITION SPEAKER CABLE - HIGH PURITY OXYGEN FREE COPPER KASPER - 1.5 KASPER - 1.5mm2 / 15AWG HIGH DEFINITION 3